

Terra Competition



TECHNOLOGY



SIZES



FEATURES



NEW





TECHNOLOGY



SIZES



FEATURES

BLUR THE LINE BETWEEN ROAD AND GRAVEL

Built for multi-surface speed, Terra Competition redefines gravel performance. Engineered for all-road riding, it features improved aerodynamics, reduced weight, and lower rolling resistance – delivering faster climbs, sharper acceleration, and energy savings at every yaw angle.

TERRAIN



Hardpack

CASING




Trail: A light and durable single-ply carcass construction, ideal for Trail use cases.



Race: Light and supple one-ply construction. Fabrics and body compounds combined for superb plushness and suppleness.

COMPOUND



Grip: Designed for modern Cross-Country, Down-Country, Trail and gravel use cases. This compound offers an excellent balance of grip and rolling resistance and is the number one choice for all-round balanced characteristics.



Rapid: When speed and acceleration on flat and inclines is all that matters, then the Rapid Compound is your go-to option. Inspired by the characteristics of compounds used in our road, race and gravel tires. For riders who do not want to compromise in speed.



Terra Competition



TECHNOLOGY




SIZES



FEATURES

Terra Competition


Race Rapid - 3/330 TPI



E25 **TR**

Article	ETRTO	Dimension	Color/sidewall	g	PSI max.	EAN	RRP/€
0102025	35-622	28 X 1.40	● foldable	345	79	4 019238 401509	74,95
0102026	40-622	28 X 1.55	● foldable	420	72	4 019238 401486	74,95
0102027	45-622	28 X 1.75	● foldable	470	65	4 019238 401462	76,95

Trail Grip - 3/330 TPI



E25 **TR**

0150756	35-622	28 X 1.40	● foldable	410	79	4 019238 401752	68,95
0150757	35-622	28 X 1.40	● foldable	410	79	4 019238 401738	68,95
0150758	40-622	28 X 1.55	● foldable	470	72	4 019238 401714	68,95
0150759	40-622	28 X 1.55	● foldable	475	72	4 019238 401691	68,95
0150760	45-622	28 X 1.75	● foldable	525	65	4 019238 401677	70,95
0150761	45-622	28 X 1.75	● foldable	530	65	4 019238 401653	70,95



CONTI KNOWLEDGE

Tubeless Ready:

For initial mounting we recommend to use at least 30 ml of Conti RevoSealant per tire. Then spin the tire (wheel) to spread the Conti RevoSealant inside of the tire and pump to the allowed maximum pressure. Check the pressure before the next ride and adjust to your desired PSI.



This tire is Hookless compatible to its limited max. pressure. Please check wheel instruction and tire packaging for detailed information.



Terra Competition




TECHNOLOGY




SIZES



FEATURES




Up to 17% lower rolling resistance*



Optimized aerodynamics*



Advanced puncture protection*



Up to 16% weight reduction*



*Values based on internal testing for 35-622 Terra Competition Race Rapid compared to 35-622 Terra Speed Protection.